#### INDEX OF SHEETS

SHEET NO.

TITLE PAGE

2-S SUMMARY OF QUANTITIES

3 - 4 TYPICAL TRAFFIC CONTROL PLAN--LANE CLOSURE

PLAN FOR MULTILANE ROADWAYS

#### STANDARD PLANS


(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

### STATE OF NEBRASKA DEPARTMENT OF ROADS

## PLANS FOR CONSTRUCTION

DOUGLAS & SARPY COUNTIES



PROJECT NO. SHEET NO. MISC-80-9(1195) CONTROL NO. 22565 ▲ CONTROL NO. CONTROL NO.

THE 2007 EDITION OF THE NEBRASKA STANDARD SPECIFICATIONS AND THE SPECIAL PROVISIONS APPLY TO THIS PROJECT.

#### THE WORK ON THIS PROJECT CONSISTS OF GROUPS

8-SPECIALTY


ARE INCLUDED ► GROUPS <u>8</u>

IN THE LETTING OF \_\_\_\_\_\_JUNE 27, 2013\_ ARE INCLUDED ▲ GROUPS \_\_\_

IN THE LETTING OF \_

■ GROUPS \_ ARE INCLUDED IN THE LETTING OF \_

> DESIGN DESIGNATION MAINTENANCE TRAFFIC 2013 ADT 102,640 I-680





FENCE R.O.W. OR WIRE GUARDRAIL TRAVELED WAY ======== CULVERT POWER POLE TELEPHONE POLE MAILBOX RAILROAD TRACKS

TREE - CONIFEROUS

TREE - DECIDUOUS

R.O.W. LEGEND

NEW RAILROAD TEMPORARY EASEMENT

NEW CONTROLLED ACCESS PREVIOUS CONTROLLED ACCESS LIMITS OF CONSTRUCTION PREVIOUS R.O.W. NEW R.O.W. EXISTING PERMANENT EASEMENT TEMPORARY EASEMENT EXCESS TAKING PERMANENT EASEMENT EXISTING RAILROAD EASEMENT NEW RAILROAD PERMANENT EASEMENT 


REFERENCE POST NO. 438+66 TO REFERENCE POST NO. 455+31 (I-80) REFERENCE POST NO. 0+00 TO REFERENCE POST NO. 4+13 (I-480) REFERENCE POST NO. 0+00 TO REFERENCE POST NO. 5+75 (I-680)

EXCEPTIONS: FROM STA.

TO STA.

TOTAL NET LENGTH OF PROJECT:

MILES



## SUMMARY OF QUANTITIES

PROJECT NO.	SHEET NO.
80-9(1195)	2-\$

C.N. 22565


## SUMMARY OF QUANTITIES

# SPECIALTY ITEMS GROUP 8

ITEM	QUANTITY	UNITS
BARRICADE, TYPE II	14,300.000	BDAY
BARRICADE, TYPE III	550.000	<b>BDAY</b>
TEMPORARY SIGN DAY	1,980.000	EACH
SIGN DAY	1,452.000	EACH
FLASHING ARROW PANEL	110.000	DAY
MOBILIZATION	1.000	LS
PENETRATING CONCRETE SEALER	1,571,599.000	SF

#### DETAIL OF CONCRETE MEDIAN BARRIEI


CONCRETE SEALER SHALL BE APPLIED TO THE CONCRETE MEDIAN BARRIER SURFACE AREA





HIGHWAY NO.	REFERENCE POS	ST. TO	REFERENCE	POST
 I-80	438+66	TO TO	455+31	:
I−480 I−680	0+00 0+00	TO	4+13 5+75	

NOTE: BRIDGE RAILS AND BRIDGE PIERS WILL ALSO BE CONCRETE SEALED









User: DOR23027 Date: 01-MAY-2013 11:18

File: wz394-3 r5.dgn